



Aeropanel


STORAGE

- Do not store products in an open area without additional protection. The sheets in the pallet are covered with a wrapping film, but this does not provide protection against moisture.
- If stored in the open, the product must be covered with additional moisture-proof material. For longer periods of time, the sheets should be placed in an enclosed area (closed room). An enclosed area must guarantee complete protection of the sheets from atmospheric precipitation.
- Do not leave an open pallet with fibre cement sheets in an open area during breaks between work.
- Do not store the sheets in a vertical position.
- Do not store products in direct contact with the following aggressive substances: acids, alkalis, fuels and lubricants, alcohols, organic solvents.

STORAGE

■ Fibre cement sheets should be stored horizontally on pallets indoors and under a cover in dry conditions, protected from weather and other influences.


Stack pallets in such a way that the panels are ventilated. If moisture penetrates between the stored sheets, the surface may be permanently stained in the form of fading. Condensation may also occur inside the packaging in warm conditions. An outer plastic cover without ventilation can lead to condensation.



TRANSPORT



OK!



WHEN UNLOADING FIBRE CEMENT SHEETS BY HAND MUST BE TAKEN INTO ACCOUNT:

- Two people are required to carry a sheet of standard dimensions 1220x3050 mm;
- hold the sheets vertically during the transfer to prevent the material from bending;
- if it is not possible to carry the material vertically, use a stretcher;
- it is unacceptable to carry more than two sheets by hand at the same time. when stacking sheets in a pallet, it is necessary to lay the packaging film on the front side;
- disassemble stacks with painted sheets carefully, avoiding friction of the sheet on the sheet;
- when stacking the sheets, stack them exactly one above the other, forming an even bundle, the height of which should not exceed one metre.



**ENVIRONMENTAL
FRIENDLINESS**



AESTHETICITY



FIRE RESISTANCE



FROST RESISTANCE



**HEAT AND SOUND
INSULATION**



DURABILITY

Manufacturer:
LLC "IVANO-FRANKIVSK-DAH"
77422, Ivano-Frankivsk region,
Ivano-Frankivsk district,
Yamnytsia village, Ukraine

+38 (067) 344-28-19 (Kyivstar)
+38 (050) 290-93-95 (Vodafone)
roofsales@ifdah.com.ua (Email)